

MATERIAL SAFETY DATA SHEET

All the information on this sheet relates to the concentrated product only, in use dilution will decrease any possible hazard significantly.

Manufactured by:

Enviro Tablets LLC, 65 High Ridge Road #394, Stamford, CT 06905. US. Contact: 1203 274-8800 - E.Mail: <u>usenguiries@enviro-tablets.com</u> Web Site:

www.enviro-tablets.com
Date prepared: 01/09/2012

Prepared by: S. Storton

Frepared by: 3. Storton	
1. Identification	Enviro-Tablets Food processing Treatment tablets
A. Common Uses	Aerobic bacteria water treatment for use in commercial, industrial, institutional and domestic water systems to remove fats/oils/greases, remove bad odors and improve water quality
2. Composition	A solid tablet blend of: Sodium Salts, Non-Pathogenic Bacterial Strains, Nutrients & binders
A. Hazardous Components	n/a
3. Hazards Identification	Persons with known severe respiratory disorders should avoid inhalation of the powder. Could be harmful if swallowed.
4. First Aid Measures	Medical attention is required in case of exposure by inhalation, contact with skin or eyes, or if swallowed. Inhalation.
Exposure Route Symptom	Prolonged or repeated inhalation of dust, may irritate the respiratory tract
Treatment	Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid or complete seek medical attention.
Exposure Route	Skin Contact
Symptom Treatment	May cause irritation and discomfort Drench the skin with plenty of water for 5 minutes; use a mild soap if available. Remove contaminated clothing and wash before reuse. If large areas of the skin are damaged or if irritation persists seek medical attention.
Exposure Route	Eye Contact
Symptom Treatment	May cause irritation and pain Remove contact lens and irrigate thoroughly with water for at least 5 minutes. Obtain medical attention, if symptoms persist.
Exposure Route	Ingestion
Symptom	Irritation of gastrointestinal tract, nausea, diarrhoea

Enviro Tablets LLC, 65 High Ridge Road #394, Stamford, CT 06905. US. Contact: 1203 274-8800 - E.Mail: <u>usenquiries@enviro-tablets.com</u> Web Site:



Treatment	patient is conscious, give water to drink. If patient feels unwell seek medical attention. Delayed Effects: bacterial infection
5. Fire Hazard & Fire	Suitable Extinguishers: water
Fighting Procedures	Unsuitable Extinguishers:
	Hazardous Combustion Products: None Known. Large
	dust accumulations can be explosive, similar to a grain dust explosion.
	· ·
	Special Equipment for Fire Fighting: self contained
C. Assidental Delegas	breathing apparatus
6. Accidental Release Measures	Personal Precautions: Wear appropriate PPE - See section 8
	Environmental Precautions: The bacteria and carriers
	are naturally occurring and do not pose an environmental risk.
	Clean up Procedure: If dry, vacuum or dry sweep spilled
	material and place in closed plastic bags for disposal. If
	wet, place wet material in a drum or bucket lined with a
	plastic bag. The bag should not be tightly closed. Allow the
	1, , ,
	bag to aerate for 24 hours before disposal. Disposal bag
	should be pin holed near the top to avoid bursting if
	carbon dioxide or oxygen gas is evolved. Wash spill site
	with water. If bacterial contamination is an issue use
III	chlorine to kill the bacillus spores.
7. Handling & Storage	Handling Ventilation: Good general ventilation.
	Recommended procedures & equipment: avoid creating
	dust
	dust
	dust Storage Store in a dry area.
	dust Storage Store in a dry area. Keep away from: See section 10
	dust Storage Store in a dry area.
	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid
	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer
	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment
8. Exposure Controls &	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks.
8. Exposure Controls & Personal Protection	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits:
8. Exposure Controls & Personal Protection	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL)
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89).
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA.
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment:
•	dust Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for
•	Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for exposure above permissible exposure limits.
•	Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for exposure above permissible exposure limits. Respiratory protection programs must be in accordance
•	Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for exposure above permissible exposure limits. Respiratory protection programs must be in accordance with 29 CFR 1910.134
•	Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for exposure above permissible exposure limits. Respiratory protection programs must be in accordance with 29 CFR 1910.134 Hand: Wash hands after use. Gloves recommended
· · · · · · · · · · · · · · · · · · ·	Storage Store in a dry area. Keep away from: See section 10 Suitable storage Media: original container with closed lid Precautions against static discharge: Do not transfer material into flammable solvents. Ground all equipment that handles solid or powdered product to avoid sparks. Exposure Limits: 8-Hour Time Weighted Average (TWA): 15-minute Short-Term Exposure Limit (STEL) OSHA: 6 mg/m3 (total dust) TWA. 29 CFR 1910.1000 (Rev. 3/1/89). ACGIH: 10 mg/m3 (total amorphous dust) TWA. 3 mg/m3 (respirable nuisance particulate) TWA. Personal Protective Equipment: Respiratory: NIOSH approved dust filter respirator for exposure above permissible exposure limits. Respiratory protection programs must be in accordance with 29 CFR 1910.134

Enviro Tablets LLC, 65 High Ridge Road #394, Stamford, CT 06905. US. Contact: 1203 274-8800 - E.Mail: usenquiries@enviro-tablets.com Web Site :



	suits should be used when necessary to prevent skin
	contact. Personal protective clothing and use of equipment must be in accordance with 29 CFR 1910.132 (general
	requirements), .133 (eye and face protection, and .138
	(hand protection).
	Environmental controls: Users should be aware of environmental considerations and their duties under the
	environmental protection act. Do not place the product
	into potable water.
	Hygiene Measures: Always wash thoroughly after
	handling chemicals.
9. Physical & Chemical	Appearance: White color tablet
Properties	Odour: Slight
	pH : 8.0 (5% suspension)
	Boiling point/range: NA
	Melting point/range: NA
	Flash point: NA
	Specific gravity: NA
	Physical state: Powder
10. Stability & Reactivity	Solubility: Water Soluble Stability: Stable under normal storage and handling
Data	conditions. Keep away from moisture when storing. Keep
Data	away from combustible solvents.
	Conditions/Materials to avoid: Accumulations of
	product in enclosed spaces and generation of dust. High
	temperatures (>200°C) treatment or calcining). Avoid
	alteration of product properties before use.
	Hazardous decomposition products: None known
11. Toxicological	Toxological effects: Low Acute oral toxicity although
Information	ingestion may cause irritation of the gastrointestinal tract
	and may result in nausea and diarrhoea. May cause mild
	mechanical irritation to eyes, skin and mucous membranes. May cause irritation from allergic reaction,
	especially to people that have a history of allergic
	reactions.
12. Ecological Information	Environmental Effects: N/A
	Bio-accumulative potential: N/A
	Aquatic Toxicity: N/A
13. Disposal Considerations	Substance: Via an authorized waste disposal contractor
	to an approved waste disposal site, observing all local and
	national regulations.
14 Transcription	Container: As substance.
14. Transportation Information	Not dangerous for transportation
15. Regulatory Information	Label Name: Enviro-Tablets Food Processing Treatment
15. Regulatory Illiorillation	tablet 140g
	Risk Phrases:
	8 - Contact with combustible material may cause fire.
	22/41 - Irritating to eyes and skin.
	-

Enviro Tablets LLC, 65 High Ridge Road #394, Stamford, CT 06905. US. Contact: 1203 274-8800 - E.Mail: usenquiries@enviro-tablets.com Web Site :



	Cofety Physics
	Safety Phrases:
	3 Keep in a cool place.
	8 Keep container dry.
	17 Keep away from combustible material.
	24/25 Avoid contact with skin and eyes.
	26 I in case of contact with eyes, rinse immediately with
	plenty of water and seek medical advice
	DSCL (EEC): This product is not classified according to EU
	regulations. Not applicable.
	Hazardous Material Identification System (HMIS)
	, , ,
	Health (0-4): 1
	Flammability (0-4): 1
	Reactivity (0-4): 0
	Personal Protection (A-D): N/A
	National Fire Protection Association (U.S.A.):
	National Fire Protection Association (0.5.A.).
	Health (0-4): 1
	Flammability (0-4): 1
	, · · · ·
	Reactivity (0-4): 0
	Specific Hazard: N/A
	Protective Equipment: (Non-toxic/Non-caustic)
	Gloves and eye protection recommended.
16. Other Information	This material must not be used for direct contact with
	food: Wash hands thoroughly after handling.
	Legal Disclaimer: The above information in this MSDS
	was obtained in accordance with the requirements of
	Chemicals (Hazard Information & Packing) Regulations.
	The product should not be used for any purpose other
	than a stated on the label without obtaining specific
	written instructions from the Distributor's offices.
	HOWEVER, THE INFORMATION IS PROVIDED WITHOUT
	ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING
	ITS CORRECTNESS. The conditions or methods of
	handling, storage, use and disposal of the product are
	· · · · · · · · · · · · · · · · · · ·
	beyond our control and may be beyond our knowledge.
	FOR THIS AND OTHER REASONS, WE DO NOT ASSUME
	RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY
	FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN
	ANY WAY CONNECTED WITH THE HANDLING, STORAGE,
	OR USE OF THIS PRODUCT.
	Further details may be available upon request from our
	offices.
-	

Enviro Tablets LLC, 65 High Ridge Road #394, Stamford, CT 06905. US. Contact: 1203 274-8800 - E.Mail: usenquiries@enviro-tablets.com Web Site :